

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 20.07.2017

Revision: 20.07.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier For professional use only
- Trade name: Touch Up Paint
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Surface Coating
- Application of the substance / the mixture Surface Coating
- 1.3 Details of the supplier of the safety data sheet
- Supplier:  
The Millboard Company Ltd  
UK Head Office  
Castle Court  
Bodmin Road  
Coventry CV2 5DB  
T 44 (0)24 7643 9943  
E enquiries@millboard.co.uk
- Further information obtainable from: enquiries@millboard.co.uk
- 1.4 Emergency telephone number: +44 (0)24 7643 9943 (Business hours)

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008  
The product is not classified according to the CLP regulation.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:  
Contains 1,2-benzisothiazol-3(2H)-one, Mixture, containing 5-chloro-2-methyl-4-isothiazolin-3-one [EC No. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC No. 220-239-6] (3:1). May produce an allergic reaction.  
Safety data sheet available on request.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:            |   |        |
|------------------------------------|---|--------|
| CAS: 57-55-6<br>EINECS: 200-338-0  | propane-1,2-diol<br>substance with a Community workplace exposure limit | 10-25% |
| CAS: 112-34-5<br>EINECS: 203-961-6 | 2-(2-butoxyethoxy)ethanol<br>⚠ Eye Irrit. 2, H319                       | ≤ 2.5% |

- Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
No special measures required.  
Keep receptacles tightly sealed.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed and in a well-ventilated place.  
Keep away from heat.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

### · 8.1 Control parameters

|   |  |  |
|---|--|--|
| · Ingredients with limit values that require monitoring at the workplace: |  |  |
| 57-55-6 propane-1,2-diol  |  |  |
| WEL   | Long-term value: 474* 10** mg/m <sup>3</sup> , 150* ppm<br>*total vapour and particulates **particulates |  |
| 112-34-5 2-(2-butoxyethoxy)ethanol  |  |  |
| WEL   | Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm<br>Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm   |  |
| · DNELs   |  |  |
| 57-55-6 propane-1,2-diol  |  |  |
| Oral  | DNEL   | 85 mg/day (Con)  |
| Dermal  | DNEL   | 213 mg/day (Con)   |
| Inhalative  | DNEL   | 50 mg/m <sup>3</sup> (Con)<br>168 mg/m <sup>3</sup> (Ind)  |
| 112-34-5 2-(2-butoxyethoxy)ethanol  |  |  |
| Oral  | DNEL   | 1.25 mg/day (Con)  |
| Dermal  | DNEL   | 10 mg/day (Con)<br>20 mg/day (Ind)                         |
| Inhalative  | DNEL   | 34 mg/m <sup>3</sup> (Con)<br>67.5 mg/m <sup>3</sup> (Ind) |

· Additional information: The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Particulate cartridge filter type when LEV cannot be supplied

· Protection of hands: Not required.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

|  |                                    |
|--|------------------------------------|
| · Appearance:                            |                                    |
| Form:                                    | Liquid                             |
| Colour:                                  | According to product specification |
| · Odour:                                 | Characteristic                     |
| · Odour threshold:                       | Not determined                     |
| · pH-value:                              | Not determined                     |
| Change in condition                      |                                    |
| Melting point/freezing point:            | Undetermined                       |
| Initial boiling point and boiling range: | 100 °C                             |

Continued on next page

## SECTION 9: Physical and chemical properties

|   |  |
|---|--|
| · Flash point: >100 °C                            | >100 °C                                      |
| · Flammability (solid, gas):                      | Not applicable                               |
| · Ignition temperature:                           | >370 °C                                      |
| · Decomposition temperature:                      | Not determined                               |
| · Auto-ignition temperature:                      | Product is not selfigniting                  |
| · Explosive properties:                           | Product does not present an explosion hazard |
| · Explosion limits:<br>Lower:<br>Upper:           | 2.6 Vol %<br>12.6 Vol %                      |
| · Vapour pressure at 20 °C:                       | 23 hPa                                       |
| · Density at 20 °C:                               | 1.156 g/cm <sup>3</sup>                      |
| · Relative density                                | Not determined                               |
| · Vapour density                                  | Not determined                               |
| · Evaporation rate                                | Not determined                               |
| · Solubility in/ Miscibility with water:          | Fully miscible.                              |
| · Partition coefficient: n-octanol/water:         | Not determined                               |
| · Viscosity:<br>Dynamic at 20 °C:<br>Kinematic:   | 10000 mPas<br>Not determined                 |
| · Solvent content:<br>Organic solvents:<br>Water: | 14.4 %<br>40.4 %                             |
| Solids content:                                   | 44.5 %                                       |
| · 9.2 Other information                           | No further relevant information available    |

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition/ conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:  
No dangerous decomposition products when stored and handled correctly

## SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

|   |      |                    |
|---|------|--------------------|
| · LD/LC50 values relevant for classification: |      |                    |
| 57-55-6 propane-1,2-diol                      |      |                    |
| Oral  | LD50 | >20000 mg/kg (Rat) |
| Dermal  | LD50 | >2000 mg/kg (Rab)  |
| 112-34-5 2-(2-butoxyethoxy)ethanol            |      |                    |
| Oral  | LD50 | >2000 mg/kg (rat)  |
| Dermal  | LD50 | >2000 mg/kg (rbt)  |

## SECTION 11: Toxicological information Continued...

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

|   |                |
|---|----------------|
| · 14.1 UN-Number<br>· ADR, IMDG, IATA                                     | Void           |
| · 14.2 UN proper shipping name<br>· ADR, IMDG, IATA                       | Void           |
| · 14.3 Transport hazard class(es)<br>· ADR, IMDG, IATA<br>· Class         | Void           |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                 | Void           |
| · 14.5 Environmental hazards:   | Not applicable |
| · 14.6 Special precautions for user                                       | Not applicable |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| · UN "Model Regulation":  | Void           |

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- National regulations:
- Technical instructions (air):

| Class  | Share in % |
|--------|------------|
| Wasser | 40.4       |
| NK     | 14.4       |

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H319 Causes serious eye irritation.

- **Department issuing SDS:** Product safety department: **LABORATORY**

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2